



725 Open Lawn Maintenance Trailer



Lighten your load

Photographs may contain optional equipment.

Allow us to introduce you to a better line of products...



Triple tube tubular tongue frame



Extruded non skid running board front



Extruded non skid running board rear



Tread plate heavy gage fenders

Alumne is a leader for Aluminum Trailers in the green industry. Our trailers are made from high-quality, corrosion-resistant Aluminum Extrusion specifically designed to be lighter, stronger, and more durable. With fuel cost going higher every day the Alumne Lawn Maintenance Trailer is the ultimate solution for lawn maintenance contractors. It has an all aluminum frame structure, increasing pay load, eliminating preventive maintenance and maintaining its value. The entire trailer can be cleaned with pressure washing. All lighting is LED and the electrical system is sealed. By combining these innovative techniques along with proprietary Alumne extrusions, Alumne has created the best trailers in the industry.



Full width ramp gate with single lever lock



Extruded non slip gate surface with spring assist



Ramp gate deadbolt & lever lock

*Photographs may contain optional equipment. Specifications subject to change without notice.

Aluminum Organizer Racks and Cabinets



Locking tool rack on front of rack for 2 back pack



Locking side trimmer racks



Shovel & rack rack



Open storage box water cooler & back pack rack

Customizing Options



Optional aluminum spoke wheels




Top mount tool box



Trimmer string box



Mower and edger rack



Wheel chock

A Quality **Aluminum** Product that Hauls More Payload

Standard Specifications on 725 Trailer

Bottom side rail 7" Extruded aluminum	Ramp gate secured with lever lock dead bolt
Top rail 1 1/2" angle style with radius corners	Axles are rubber torsion with EZ lub hubs
Floor 2" extruded interlocking planks with non slip surface	Tires are radial trailer tires
Cross members extruded into floor plank 4" on center	Wheels steel mod silver
Sides 12" high with tubular post	Tongue storage box open type
Fenders roll formed .100 tread bright aluminum	Coupler ball type
Fender backs corrugated extruded aluminum	Jack swing up type 2000 lb cap
Running boards non slip	Electrical connections heat sealed
Ramp gate extruded with tubular slats with a non-slip surface	Stop tail turn and I.D. clearance lights LED

Available Sizes

CODE	DECK		GVWR	AXLES		TIRES	COUPLER	WEIGHT
	W	L		QTY	BRAKE			
725-82-14	82"	14'	6000	2	2	ST205/75R14C	2" Ball	1041
725-82-16	82"	16'	6000	2	2	ST205/75R14C	2" Ball	1110
725-82-18	82"	18'	6000	2	2	ST205/75R14C	2" Ball	1168

Rack and Ramp Gate Options

LTRS-2PST	Locking tool rack system with 2 place side trimmer racks	each	120
LTRS-3PST	Locking tool rack with 3 place side trimmer racks	each	135
RG323LE8157	Ramp gate with lever lock 81" X 57"	each	98
RG323LE8158FS	Ramp gate with lever lock 81" X 57" folding with single support foot	each	124

Standard Customizing Options

TM8414166	Top mount tool box 84" L X 14" D X 16" with 2 doors	each	N/A
ACCP03TB	String box, mower/edger blade box	each	N/A
WC012P	Mower wheel chocks (pair)	each	N/A
SP00387	Additional corrugated scuff plate 3/8" X 7"	Lin/ft	N/A
TRR170	Tie ring recessed	each	N/A



CRYSTAL PRODUCTS GROUP LLC.

31661 Executive Blvd., Fl 34747
 Phone: 352 460-0602 Fax: 352-460-0763
www.alumne.com

Go green

increase your Fuel economy with an Aluminum Trailer



Photographs may contain optional equipment. Specifications subject to change without notice.